

4activeBS-child

The UN-ECE R151 conform child bicyclist target

- ✓ standard average european utility bike 6 to 7 year old child
- realistic properties in size, shape and rotating wheels
- complies with UN-ECE R151

Allows testing under rough conditions

- extremely lightweight and soft structure to prevent damage on VUT
- robust and modular system easy and fast change of spare parts
- realistic response for Radar-, Lidar, Camera and IR-Systems

Available options

different frame colours
heated bicyclist target – 4activeHT



4activeBS-child

Performance

mono/stereo camera system, Lidar sensors	✓
360° - Radar characteristic	✓
micro-Doppler spread	✓
near infrared / far infrared*	✓
ultra-sonic	✓
crash speed lateral / longitudinal	up to 60 km/h / up to 45 km/h
operation speed	up to 35 km/h

Dimensions bike

handlebar height	715 mm
diameter wheels	412 mm
wheel base	733 mm
weight	< 5 kg

Dimensions bicyclist

body height	1200 mm
shoulder width	298 mm
torso angle	10°
weight	< 2 kg

С

П

S

W

Ξ

Key features

✓ compatible with 4activeSB★★, 4activeFB-small★★, 4activeFB-eco

S

- rotating wheels permanent contact to ground
- foldable bike easy transportation and storage

Y

extremely lightweight and soft structure

ы

P



S

Т

★ optional

U

B

T

Ν

^{★★} extra connection plate needed