



I N P H Y S I C S W E T R U S T

4activeBS-child

UN-ECE R151 compliant child bicyclist target

- ✓ standard average european utility bike – 6 to 7 year old child
- ✓ realistic properties in size, shape and rotating wheels
- ✓ complies with UN-ECE R151

Allows testing under rough conditions

- ✓ extremely lightweight and soft structure to prevent damage on VUT
- ✓ robust, modular and weatherproof system – easy and fast change of spare parts
- ✓ realistic response for Radar-, Lidar-, Camera-, Ultrasonic- and IR-Systems

Available options

- ✓ different frame colours
- ✓ heated bicyclist target – 4activeHT
- ✓ ISO-19206-4 dimensions available



4activeBS-child

Performance

mono/stereo camera system, Lidar sensors	✓
360° - Radar characteristic	✓
micro-Doppler spread	✓
near infrared / far infrared★	✓
ultra-sonic	✓
crash speed lateral / longitudinal	up to 60 km/h / up to 45 km/h
operation speed	up to 35 km/h

★ optional

Dimensions bike

handlebar height	715 mm
diameter wheels	412 mm
wheel base	733 mm
weight	< 5 kg

Dimensions bicyclist

body height	1200 mm
shoulder width	298 mm
torso angle	10°
weight	< 2 kg

Key features

- ✓ compatible with 4activeSB★★, 4activeFB-small★★, 4activeFB-eco★★
- ✓ rotating wheels - permanent contact to the ground
- ✓ disassemblable bike - easy transportation and storage



★★ extra connection plate needed